



GE
Lighting



A+
energy class

95
lumens/watt

GE Start Bright Stik™
LED16/STIK/830/100-240/E27/F 2/10
93023114

Product information

LED Bright Stik™ illuminates spaces with light instantly. Its sleek cylindrical shape fits in place of a traditional incandescent bulb - and some sockets where a traditional bulb or CFL doesn't fit. Replace a 40W, 60W & 100W incandescent with an LED Bright Stik and keep saving for the next 15 years*. That's a long time you can spend not worrying about light bulbs.

Product data

Product Code	93023114
Bulb Finish	White
Bulb Diameter [mm]	45
Nominal Length [mm]	136
Net weight per piece [g]	93
Brand	GE BX
Cap/Base	E27

Performance data

Nominal beam angle [°]	240
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Power factor	0.7
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	1521
Colour Rendering Index (CRI) [Ra]	80


Electrical data

Nominal lamp power factor..	0.7
Number of switching cycles	100000
Dimming Capability	No
Nominal power [W]	16

Logistic data

DUN Code	10064894531351
EAN Code	0064894531354
Pack Quantity	10
Product status	Available

Photometric Data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[Photometry \(IES\)](#)

[High-resolution image \(JPG\)](#)

[BrightStik range Datasheets \(HTTP\)](#)

[BrightStik range images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)